

4G WiFi Router CAT4



Model No.: GS26 4G WiFi router		Based on qualcomm chipset
Network	CAT4 Download speed 150Mbps/ upload speed50Mbps	
Frequency supported	Default version	4G FDD LTE B1/B3/B5
		WCDMA:B1(2100MHz)/B5(850MHz)
	Europe version	4G FDD LTE B1/B3/(B5)/7/8/20+TDD B38/40/41
		WCDMA:B1(2100MHz)/B5(850MHz)
CN version	4G FDD LTE B1/B3/(B5)/8+TDD B38/39/40/41	
	WCDMA:B1(2100MHz)/B5(850MHz)	
others	more frequency can be added if necessary	
wifi	802.11b/g/n	up to 150 Mbps
	speed	802.11b: 1, 2, 5.5, 11Mbps 802.11g: 6, 9, 12, 18, 24, 36, 48, 54Mbps 802.11n:150Mbps wifi4
	security	OPEN、SHARED、WEPAUTO、WPA-PSK、WPA2-PSK、WPA、WPA2、WPA-PSK/WPA2-PSK、WPA/WPA2、802.1x
	users	10
antenna	WiFi antenna	1
	4G/3G antenna	2
Port	Micro USB	1
	USIM/SIM	2
Button	power	1
	reset	1
Net gate	TCP/IP	support
	UDP	support
	DHCP Server	support
	NAT/NAPT	support
	UPnP	support
	Static Routing	support
	MAC/URL/IP filter	support
VPN Passthrough	support	
battery	Lieon battery	2100mAh (3000mAh for option)
	dimension	98.5mm x 59.3mm x 14.9mm
	weight	78g

	working temperature	-10 to +55°C
	working humidity	10% to 80%
	storage temperature	-20 to +60°C
	storage humidity	5% to 90%

4G 随身WiFi



型号: GS26 4G 随身WiFi	
网络频段	CAT4 DL150Mbps/UL50Mbps 4G FDD LTE B1/B3/B5(可增加中国移 3G WCDMA B1(2100MHz)/B5(850M
wifi	802.11b/g/n
	速率
	加密
用户数	
天线	WiFi antenna
	4G/3G antenna
接口	USB
	Micro USB
	USIM/SIM
按键	power
	reset
网关	TCP/IP
	UDP
	DHCP Server
	NAT/NAPT
	UPnP
	Static Routing
	MAC/URL/IP filter
VPN Passthrough	
电池	锂电池
	尺寸
	重量

	工作温度
	工作湿度
	存储温度
	存储湿度

自身WiFi



高通芯片
频段(TDD B38,39,40,41) Hz) (B8 can be added)
up to 150 Mbps
802.11b: 1, 2, 5.5, 11Mbps 802.11g: 6, 9, 12, 18, 24, 36, 48, 54Mbps 802.11n:150Mbps
OPEN、SHARED、WEP AUTO、WPA-PSK、WPA2-PSK、WPA、WPA2、WPA-PSK/WPA2-PSK、WPA/WPA2、802.1x
10
1
2
1
1
2
1
1
support
support
support
support
support
support
support
support
support
2100mAh, 4- 5小时实网上网
108 mm x 64 mm x 15 mm
140

-10 to +55°C
10% to 80%
-20 to +60°C
5% to 90%