

4G WiFi Router CAT



Model No.: V27S 4G WiFi router	
CAT4 Download speed 150Mbps/ upload speed50Mbps	
Network supported (3 versions for option)	CN version: FDD LTE B1/3/5/8+TDD
	EU version: FDD LTE B1/3/5/7/8/20/21
	NA version: FDD LTE B2/3/4/5/7/12/17
Others	more frequency can be added if needed
Wifi	802.11b/g/n
	speed
	security
	users
Antenna	WiFi antenna
	4G/3G antenna
Screen/LED	LED indicator
Port	USB
	Micro USB
	USIM/SIM
Button	power
	reset
Net gate	TCP/IP
	UDP
	DHCP Server
	NAT/NAPT
	UPnP
	Static Routing
	MAC/URL/IP filter
	VPN Passthrough
Battery	Lieon battery
	dimension
	weight

Color	White/ black
	working temperature
	working humidity
	storage temperature
	storage humidity

4G can support VSIM



Based on ASR1803S (support VSIM)
s
LTE B34/38/39/40/41+WCDMA B/1/5/8
28+TDD LTE B38/40/41+WCDMA B/1/5/8
17/28/66+TDD B38/41+WCDMA B2/4/5
essary
up to 150 Mbps
802.11b: 1, 2, 5.5, 11Mbps
802.11g: 6, 9, 12, 18, 24, 36, 48, 54Mbps
802.11n:150Mbps
OPEN、SHARED、WEPAUTO、WPA-PSK、WPA2-PSK、WPA、WPA2、WPA-PSK/WPA2-PSK、WPA/WPA2、802.1x
10
1
2
1
1
2
1
1
support
support
support
support
support
support
support
support
2100mAh or 3000mAh for option
108 mm x 64 mm x 15 mm
140

-10 to +55°C
10% to 80%
-20 to +60°C
5% to 90%