



Model	
Highlights	
OS Version	
Platform	Chipset
	Memory
	WiFi
	BT
LCM	LCD
	TP
Cellular	Protocal
	Bands
	Throughput
	Antenna
WiFi	Bands
	Protocal
	Throughput
	Antenna
	Users
Interface	SIM card
	SIM card

	USB
Button	Button
Charge	TYPE-C
Battery	Polymer battery
Size	Size
Enviroment	Working Temperature
	Storage Temperature
	Humidity

5G MiFi With **power bank** function



M5

MTK 5G 6nm MT6877, stable network performance, **WiFi6**, low power consumption.

Specification

Andriol 11

MTK 900, MT6877, 6nm
2*A78 (2.4GHz) +6*A55 (2.0GHz) , GPU: Mali OTR MC4

LPDDR4X 2GB RAM+EMMC 32GB ROM

MT6635

Bluetooth 5.1,optional

2.4"TFT MIPI (LCD or LED)

Support

3GPP Rel.15, 5G NR, SA/NSA, Sub 6G/LTE Category 18

5G: n1/n3/n5/n7/n8/n20/n28/n40/n41/n77/n78/n79
4G: B1/B3/B5/B7/B8/B20/B28/B34/B38//B39/B40/B41
3G: B1/B2/B5/B8

NR: Downlink/Uplink up to 2.77Gbps/1.25Gbps
LTE: Downlink/Uplink up to 1.2Gbps/150Mbps
WCDMA: Downlink/Uplink up to 42.2Mbps/11.5Mbps

4*4 MIMO

2.4G, 5.8G, DBSC (2*2) , DBDC (1*1)

802.11 a/b/g/n/ac/ax

802.11a: Up to 54Mbps
802.11g: Up to 54Mbps
802.11ac:Up to 866Mbps

802.11b: Up to 11Mbps
802.11n: Up to 300Mbps
802.11ax:Up to 1201Mbps

2*2

16 users

single SIM card, hot plugging supported

NANO SIM card, eSIM optional

TYPE-C (USB2.0)
1*Power, 1*Reset
5V/2A
4400mAh,With power bank function
125x70x17 mm
0°C-55°C
-20°C-70°C
5%-95%